

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	627	(712/228).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 14:32
S2	469	(712/239).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/13 14:42
S3	82	(branch\$3 near4 predict \$5) with checkpoint\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/13 14:43
S4	58	(branch\$3 near4 predict \$5) with checkpoint\$3 with stat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 15:32
S5	3	((("5584009") or ("6111535") or ("5644741")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 15:21
S6	12	(branch\$3 near4 predict \$5) with checkpoint\$3 with count\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:09
S7	2	((branch\$3 near4 predict \$5) with checkpoint\$3 with count\$3) with buffer \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 15:35
S8	0	((branch\$3 near4 predict \$5) with checkpoint\$3 with count\$3) with sav\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 15:50
S9	2	((branch\$3 near4 predict \$5) with checkpoint\$3) and confidence	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:31
S10	3	((("5887161") or ("5931957") or ("6021485")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:12

S11	6	(branch\$3 near4 predict \$5) with checkpoint\$3 with stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:33
S12	16	(branch\$3 near4 predict \$5) same (checkpoint\$3 with buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:35
S13	13	(branch\$3 near4 predict \$5) same (backup with buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:37
S14	11	(branch\$3 near4 predict \$5) same (backup near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:35
S15	0	(branch\$3 near4 predict \$5) same (backup with FIFO)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:37
S16	2	(branch\$3 near4 predict \$5) same (state with FIFO)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:38
S17	32	(branch\$3 near4 predict \$5) and (checkpoint\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:39
S18	2	(branch\$3 near4 predict \$5) with (checkpoint\$3 adj1 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:39
S19	2	(branch\$3 near4 predict \$5) with (checkpoint\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/18 16:39
S20	0	((akkary-h) and (rajwar-r) and (srinivasan-s)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 14:33
S21	0	((akkary-h) or (rajwar-r) or (srinivasan-s)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 14:33
S22	2868	((akkary) or (rajwar) or (srinivasan)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 14:33

S23	6	((akkary) and (rajwar) and (srinivasan)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 14:33
S24	0	(branch\$3 near4 predict \$5) with checkpoint\$3 with tag\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:16
S25	9	(branch\$3 near4 predict \$5) same (checkpoint\$3 with tag\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:19
S26	174	(reference near4 count \$3) near4 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:20
S27	0	(reference near4 count \$3) near4 instruction\$1 near4 re?claim\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:20
S28	0	(reference near4 count \$3) near4 instruction\$1 near4 valid\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:21
S29	1	(reference near4 count \$3) with instruction\$1 with valid\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:21
S30	5	(reference near4 count \$3) with instruction\$1 with dependen\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:22
S31	330	count\$3 with instruction \$1 with dependen\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:22
S32	70	count\$3 near4 instruction \$1 near4 dependen\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/19 15:23
S33	1	("20050120192").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:40
S34	1	combin\$6 near4 checkpoint\$3 near4 (confidence\$1 or mispredict\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:41

S35	1027	combin\$6 near4 (confidence\$1 or mispredict\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:41
S36	16	combin\$6 near4 (confidence\$1 or mispredict\$5) near4 predict\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:44
S37	132	combin\$6 with (confidence\$1 or mispredict\$5) with predict \$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:44
S38	0	combin\$6 with (mispredict\$5 near4 probabilit\$5) with predict \$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:45
S39	1	combin\$6 with (mispredict\$5 near4 probabilit\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/16 10:45
S40	859	(712/228).CCL.S.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:12
S41	617	(712/239).CCL.S.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:12
S42	3	(confidenc\$3 near4 branch\$3) with (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:16
S43	3	(confidenc\$3 with branch \$3) with (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:18
S44	5	(confidenc\$3 with branch \$3) same (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:18
S45	5	(confidenc\$3 with branch \$3) same (checkpoint\$1 or (sav\$3 near4 stat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:19
S46	5	(confidenc\$3 with branch \$3) same (checkpoint\$1 or (sav\$3 with stat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:19

S47	193	(predict\$6 with branch \$3) same (checkpoint\$1 or (sav\$3 with stat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:19
S48	111	(predict\$6 with branch \$3) with (checkpoint\$1 or (sav\$3 with stat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:20
S49	101	(predict\$6 near4 branch \$3) with (checkpoint\$1 or (sav\$3 with stat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:20
S50	78	(predict\$6 near4 branch \$3) with (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:20
S51	32	(predict\$6 near4 branch \$3) near4 (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:20
S52	0	(confidenc\$3 with branch \$3) same (back?up\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:27
S53	10	(confidenc\$3 near4 branch\$3) with (state\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:28
S54	3	(confidenc\$3 near4 branch\$3) with (sav\$3 or shadow\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:29
S55	3	(confidenc\$3 with branch \$3) with (sav\$3 or shadow\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:30
S56	13	((low adj4 confidenc\$3) with branch\$3) same (sav \$3 or shadow\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:30
S57	0	((low adj4 confidenc\$3) with branch\$3) same (backup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:32
S58	4	((low adj4 confidenc\$3) with branch\$3) same (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:32

S59	0	((low adj4 confidence\$3) with branch\$3) with (recover\$3 near4 state \$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:36
S60	2	((low adj4 confidence\$3) with branch\$3) with (recover\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:36
S61	7	((low adj4 confidence\$3) with branch\$3) same (recover\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:37
S62	0	((low adj4 confidence\$3) with branch\$3) same (sav \$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:38
S63	0	((low adj4 confidence\$3) with branch\$3) same (sav \$3 with register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:38
S64	2	(identif\$6 near4 (low adj2 confidence\$1) near4 branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:42
S65	0	(find\$3 near4 (low adj2 confidence\$1) near4 branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:42
S66	0	(locat\$3 near4 (low adj2 confidence\$1) near4 branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:42
S67	13	((low adj2 confidence\$1) near4 branch\$3) with (handl\$3 or mispredict \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:43
S68	0	(low near4 branch\$3 near4 predict\$3) with (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:51
S69	0	(low with branch\$3 with predict\$3) with (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:51
S70	2	(low with branch\$3 with predict\$3) same (checkpoint\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:51

S71	13	((low with predict\$3) same (checkpoint\$1)).	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/12/06 20:51
-----	----	---	---	----	-----	------------------

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	26	(712/228).CCL.S.	UPAD	OR	OFF	2009/12/06 20:54
S73	10	(712/239).CCL.S.	UPAD	OR	OFF	2009/12/06 20:54
S74	0	((confidenc\$3 near4 branch\$3) with (checkpoint\$1)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S75	0	((confidenc\$3 with branch\$3) with (checkpoint\$1)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S76	0	((confidenc\$3 with branch\$3) same (checkpoint\$1)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S77	0	((confidenc\$3 with branch\$3) same (checkpoint\$1 or (sav\$3 near4 stat \$3))).clm.	USPAT; UPAD	OR	OFF	2009/12/06 20:58
S78	0	((confidenc\$3 with branch\$3) same (checkpoint\$1 or (sav\$3 with stat \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S79	11	((predict\$6 with branch\$3) same (checkpoint\$1 or (sav\$3 with stat \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S80	6	((predict\$6 with branch\$3) with (checkpoint\$1 or (sav\$3 with stat \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S81	5	((predict\$6 near4 branch\$3) with (checkpoint\$1)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58

S82	3	((predict\$6 near4 branch\$3) near4 (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S83	0	((confidenc\$3 with branch\$3) same (back?up\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S84	1	((confidenc\$3 near4 branch\$3) with (state\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S85	0	((confidenc\$3 near4 branch\$3) with (sav \$3 or shadow\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S86	0	((confidenc\$3 with branch\$3) with (sav \$3 or shadow\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S87	0	((((low adj4 confidenc\$3) with branch\$3) same (sav \$3 or shadow\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S88	0	((((low adj4 confidenc\$3) with branch\$3) same (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S89	0	((identif\$6 near4 (low adj2 confidenc\$1) near4 branch \$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S90	2	((((low adj2 confidenc\$1) near4 branch\$3) with (handl\$3 or mispredict\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S91	0	((((low adj4 confidenc\$3) with branch\$3) same (sav \$3 near4 register \$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S92	0	((((low adj4 confidenc\$3) with branch\$3) same (sav \$3 with register\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58

S93	0	((low near4 branch\$3 near4 predict\$3) with (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S94	0	((low with branch\$3 with predict\$3) with (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S95	0	((low with branch\$3 with predict\$3) same (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58
S96	0	((low with predict\$3) same (checkpoint\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2009/12/06 20:58

12/ 6/ 09 11:36:23 PM

C:\Documents and Settings\ALI\My Documents\EAST\Workspaces\10724876.wsp